

Project:	AIA#
Item:	
Location:	SIS#
Approved:	

HBR BOTTOM MOUNTED REACH-IN REFRIGERATOR

MODEL: HBR27HC-1-HG

HBR27HC Half Glass Door Bottom Mount Refrigerator Hydrocarbon Series



HBR27HC-1-HG

OPTIONS & ACCESSORIES

- Stainless steel universal tray slide pair,
 1 tray slide set for (1) 18" x 26" or
 (2) 14" x 18" pans (AC)
- Epoxy shelves
- Shelf clips
- ☐ 3" caster or 6" legs
- Door locks
- Wine models
- ☐ Wine rack
- Remote option

3 Year Parts/Labor Warranty Additional 2 Year Compressor Warranty

CABINET CONSTRUCTION

- Stainless steel front, side, and grille (galvanized back & bottom)
- Stainless steel interior
- Full electronic control
- LED lighting standard
- One –piece grille allow easy removal/installation for preventative maintenance
- Self closing door with 120° stay open feature
- Spring-loaded style hinges
- Plug-in magnetic door gaskets
- Anti-microbial door handle
- Three (3) heavy duty epoxy coated wire shelves
- 6" Casters standard with two (2) brakes
- Maintains product temperatures between 36°F and 38°F

REFRIGERATION SYSTEM

- Refrigeration system uses R290 refrigerant to comply with all environmental concerns
- Automatic, non-electric defrost
- Epoxy coated evaporator coil


















MODEL	HBR27HC-1-HG
EXTERNAL DIMENSIONAL DATA	
Width Overall	30"
Depth Overall with Handle	33 1/2"
Height Overall with 6" Casters	84 1/4"
Number of Doors	2
Depth with Door Open 90°	60"
Door Opening (in)	(2) 26 1/2"x 24 5/8"
INTERNAL DIMENSIONAL DATA	
NET Capacity (cubic ft.)	25.88
Internal Width Overall (in)	27"
Internal Depth Overall (in)	26"
Internal Height Overall (in)	61 5/8"
Internal Height Useable (in)	53"
Number of Shelves	3
ELECTRICAL DATA	
Full Load Amperes 115/60/1	3
REFRIGERATION DATA	
Horsepower	1/4
Capacity (BTU/Hr)*	1480
WEIGHT DATA	
Gross Weight (Crated lbs)	414 lbs
Height - Crated	85"
Width - Crated	33"
Depth - Crated	36"

Bottom Mount Reach-ins Refrigerator

Model: HBR27HC-1-HG



ELECTRICAL CONNECTION

















Units pre-wired at factory and include 8' long cord and plug set.



