U3 120/208V

32.4" x 21.0" x 34.5" (82.3cm x 53.3cm x 87.6cm)



- Half-batch option
- Large water tank-over 20gal
- All stainless steel construction
- Draw off hot water during brewing cycle without affecting coffee quality
- Top mounted components for ease of service
- Unique design assures extremely low evaporation loss to maintain the brew at its flavorful peak

Agency:



Additional Features

Servers and airpots sold separately

Specifications

Product #: 20500.0000 Finish: Stainless Funnel: Black Plastic Water Access: Plumbed

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/208	28	5825	No	-	269	60°F (15.5°C)	1	3	60

Plumbing Requirements

CAD Drawings


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	3/8" Male Flare Fitting	-	•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle

Created on: 08/31/2017

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	34.5 in.	32.4 in.	21.0 in.	-	-	-	100.100 lbs	18.164 ft ³	
Metric	87.6 cm	82.3 cm	53.3 cm	-	-	-	45.405 kgs	0.514 m³	




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 08/31/2017

 For most current specifications and other info visit bunn.com.
 08/31/2017

Related Products & Accessories:U3 120/208V(20500.0000)





Serving & Holding Options: U3 120/208V(20500.0000)



