

EQHP-54L Cartridge

0.0" x 0.0" x 0.0"
(0.0cm x 0.0cm x 0.0cm)

Feature points are currently unavailable.



Agency:



Specifications

Product #: 39000.1003

Cartridge Type: Sanitary Quick Connect

Additional Features

Capacity

Service Flow Rate	Capacity	Micron Rating
5.0 gal/min (18.9 L/min)	54000 gal. (204408.6 L) @0 GPG of hardness	0.2

Plumbing Requirements

Max Operating Pressure	Max Operating Temperature	Inlet Connection	Outlet Connection
100 psi (689 kPa)	100°F(38°C)	3/8 IN FNPT	3/8 IN FNPT



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
09/14/2017

Unit			Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	-	-	-	-	-	-	5.000 lbs	-
Metric	-	-	-	-	-	-	2.268 kgs	-



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
09/14/2017

Related Products & Accessories: EQHP-54L Cartridge(39000.1003)



WATER FILTER,
EQHP-54L

Product #: 39000.0003



GAUGE, WATER FILTER
EQHP

Product #: 39000.0100



WATER FILTER HEAD,
EQHP-VHD

Product #: 39000.1000



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
09/14/2017