

SCALE-PRO Cartridge

0.0" x 0.0" x 0.0"
(0.0cm x 0.0cm x 0.0cm)

- Reduces lime scale formation from hard water in applications where water is either heated or evaporated
- Recommended for use in combination with EQHP10, 25, 54 (non-L) system
- Suggested cartridge change-out is every 6 months



Agency:

Specifications

Product #: 39000.1010

Cartridge Type: Quick Change

Additional Features

Capacity

Service Flow Rate	Capacity	Micron Rating
6.0 gal/min (22.7 L/min)		-

Plumbing Requirements

Max Operating Pressure	Max Operating Temperature	Inlet Connection	Outlet Connection
125 psi (862 kPa)	100°F(38°C)	3/4 IN NPT	3/4 IN NPT



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
09/14/2017

Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	-	-	-	-	-	-	1.350 lbs	-
Metric	-	-	-	-	-	-	0.612 kgs	-



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
09/14/2017

Related Products & Accessories: SCALE-PRO Cartridge(39000.1010)



WATER FILTER, SCALE-PRO

Product #: 39000.0010



FILTRO DE AGUA CON ACCESORIOS

Product #: 39000.0010



INSTALLATION KIT, SCALE-PRO

Product #: 39000.0101

BRACKET, SCALE-PRO 2 LVR MTG

Product #: 39000.0103

