H3X ELEMENT SST 120V 1340W

22.3" x 20.5" x 7.5" (56.6cm x 52.1cm x 19.1cm)



- Digital thermostat provides consistent and precise temperatures from 60° - 212°F (15.6°-100°C)
- Contemporary, low-profile design for front-of-house and selfservice settings
- Push and Hold dispense -with one programmable Portion Control setting for a volume of up to 2 gallons (7.57 liters)
- LED display provides simple temperature adjustment
- Thinsulate® tank insulation provides increased energy efficiency
- Programmable "Energy Saver Mode" reduces operating costs during idle periods
- 7.75in (196mm) cup clearance accommodates a range of serving options for custom-crafted, hand pour coffees and teas

Agency:



Additional Features

Specifications

Product #: 45300.0008 Water Access: Plumbed Finish: Stainless Temp. Setting: 212°F (100.000°C)

Electrical & Capacity

| Volts | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ² O Temp. | Phase | # Wires plus Ground | Hertz |
|-------|------|-------|------------------|------------|------------------------------|---------------------------------|-------|------------------------|-------|
| 120 | 11.2 | 1340 | Yes | NEMA 5-15P | - | 60°F (15.5°C) | 1 | 2 | 60 |

Plumbing Requirements

CAD Drawings


| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) | 2D | Revit | KLC |
|-------|---------|-------------------------|---------------------------|----|-------|-----|
| 20-90 | 138-621 | 1/4" Male Flare Fitting | - | • | | |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle

Created on: 11/01/2018

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



| Unit | | | | Shipping | | | | |
|---------|---------|----------|----------|----------|----------|----------|------------|-----------------------|
| | Width | Height | Depth | Width | Height | Depth | Weight | Volume |
| English | 7.5 in. | 22.3 in. | 20.5 in. | 10.6 in. | 32.3 in. | 21.9 in. | 23.810 lbs | 4.398 ft ³ |
| Metric | 19.1 cm | 56.6 cm | 52.1 cm | 26.9 cm | 82.0 cm | 55.6 cm | 10.800 kgs | 0.125 m³ |




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 11/01/2018

 For most current specifications and other info visit bunn.com.
 Created on:

Related Products & Accessories: H3X ELEMENT SST 120V 1340W(45300.0008)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 11/01/2018

 For most current specifications and other info visit bunn.com.
 Created on:

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 11/01/2018

 For most current specifications and other info visit bunn.com.
 Created on: