ITB w/Display Group

35.0" x 21.8" x 11.6" (88.9cm x 55.4cm x 29.5cm)



- Sleek, modernized design language on the brewer, with rounded angles on the corners and trunk
- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Easy pulse display allows for simplified programming of pulse routine
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 7-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Includes overlay kit for customization of brewer interface

Agency:

Specifications

Product #: 52000.0000

Finish: Stainless

Funnel: Translucent Tea Funnel

Water Access: Plumbed

Additional Features

Funnel Locks

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	-	-	336	60°F (15.5°C)	1	2	60

Plumbing Requirements


	. ramenig regarieme							
PSI		kPa Fitting Supplied		Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	1.25				


CAD Drawings


2D	Revit	KLC		
•				




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.









	Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	11.6 in.	35.0 in.	21.8 in.	13.0 in. in.	37.0 in. in.	27.5 in. in.	41.500 lbs	7.655 ft ³	
Metric	29.5 cm	88.9 cm	55.4 cm	33.0 cm cm	94.0 cm cm	69.9 cm cm	18.824 kgs	0.217 m³	



Related Products & Accessories: ITB w/Display Group(52000.0000)









Serving & Holding Options: ITB w/Display Group(52000.0000)



TD4T, BREW THRU LID NO DECAL NUDGER HDL Product #:03250.0018



TD4T, W/ LIFT HANDLE

Product #:03250.0042



TD4T, W/BREW THRU LID & LIFT HANDLE

Product #:03250.0043



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5, 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5, RESERVOIR

Product #:34100.0001



TDO-4, RESERVOIR BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR, BREW THRU

Product #:34100.0003



TDO-N-3.5. RSVR

Product #:39600.0001



TDO-N-4.0, RSVR BUNN

Product #:39600.0002



LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/ PINCH TUBE

Product #:39600.0047



TD3T-N, RSVR BREW THRU LID BUNN

Product #:43900.0001



TD3T-N, RSVR SOLID LID BUNN

Product #:43900.0002

