ICB SH PE Stainless, 120/240V w/Wireless

32.8" x 23.0" x 11.8" (83.3cm x 58.4cm x 30.0cm)



- The QWERTY key pad feature allows for easy customization of recipe names in English, Spanish and French
- Stainless steel brew basket provides durability and ease of cleaning
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- Fast flow hot water faucet
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- ICB SH 52100.0100 is compatible with new Infusion SH servers, new TF 1.5-gallon ThermoFresh® Servers (with Base), all previous generations of TF 1.5- gallon TF Servers (with Base) and Titan® 1.5-gallon servers
- Wireless Server monitoring
- New Infusion Soft Heat® servers [sold separately] are ergonomic, lighter weight, energy efficient and now offer programmable recipe/ batch based holding times and temperatures, alerting staff when freshness has expired or server is empty
- USB programming for uploading and downloading recipes and software updates, all in less than a minute
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- 4.3 in. Color Touchscreen aids in customizing recipes, brewing options and control

Agency:



Additional Features

Product #: 52100.0100 Water Access: Plumbed Interface: Wireless

Faucet: Side Legs: 4" Satin Nickel Legs

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/240	14.6	3500	Yes/	-	163	60°F (15.5°C)	1	3	60

Plumbing Requirements

CAD Drawings

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	3/8" Male Flare Fitting	1.00	•		




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 08/27/2018

Specifications

Finish: Stainless Funnel: Stainless Steel



Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	11.8 in.	32.8 in.	23.0 in.	14.6 in.	36.1 in.	28.0 in.	44.510 lbs	8.540 ft ³	
Metric	30.0 cm	83.3 cm	58.4 cm	37.1 cm	91.7 cm	71.1 cm	20.190 kgs	0.242 m³	




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 08/27/2018

 For most current specifications and other info visit bunn.com.
 08/27/2018

Related Products & Accessories: ICB SH PE Stainless, 120/240V w/Wireless(52100.0100)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 08/27/2018

 For most current specifications and other info visit bunn.com.
 08/27/2018

Serving & Holding Options: ICB SH PE Stainless, 120/240V w/Wireless(52100.0100)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 08/27/2018

 For most current specifications and other info visit bunn.com.
 08/27/2018