



## **JUICE BAR SOLUTION**

**SERVING THE FOOD INDUSTRY SINCE 1951** 

# **SANTOS #52 CITRUS JUICE EXTRACTOR**

Item: 46268 Model: SANTOS 52C
















# JUICER BAR SOLUTION SANTOS #52 CITRUS JUICE EXTRACTOR





## Features:

- Easy to clean: quick removal of the bowl, filter grid, dome and squeezer
- 3 removable squeezers for oranges, lemons, limes and grapefruits
- · Black polycarbonate anti-splash dome
- Spout height: 212 mm (8"), to make juice in a glass or in a jug
- Maximum output: 40 L per hour
- Ideal for juice bars, health food stores, hotels, bars, restaurants, cafeterias, ice cream shops, institutions, and hospitals



### OMCAN INC.

Telephone: 1-800-465-0234 Fax: (905) 607-0234 E-mail: sales@omcan.com Website: www.omcan.com





Follow us to keep up to date with the latest news and offers









# JUICER BAR SOLUTION SANTOS #52 CITRUS JUICE EXTRACTOR



#### **TECHNICAL SPECIFICATIONS**

**ITEM NUMBER** 

MODEL

PRODUCTION PER HOUR

**POWER** 

**RPM** 

**CURRENT** 

**ELECTRICAL** 

**DIMENSIONS (DWH)** 

**WEIGHT** 

**GROSS DIMENSIONS** 

**GROSS WEIGHT** 

46268

SANTOS 52C

Up to 40 liters (10 gallons) per hour

0.35 HP / 0.26 kW

1800

2A

120V / 60Hz / 1Ph

12" x 8" x 19" / 304.8 x 203.2 x 482.6 mm

21 lbs. / 9.5 kg.

11.8" x 9.8" x 23" / 299.72 x 248.92 x 584.2 mm

23 lbs. / 10.4 kg.

#### SAFETY | STANDARDS | HYGIENE

#### In accordance with the following regulations:

Machinery directive 2006/42/EC
Electromagnetic compatibility 2004/108/EC
RoHS directive 2002/95/EC
"Low voltage" Directive 2006/95/EC
Regulation 1935/2004/EC (contact with food)

### Harmonized European standards

EN 12100 -1 and 2: 2004 - EN 60204-1: 2006 EN 60335 - 2 - 64: 2004 Commercial electric kitchen machines

CE (European standards), NSF (USA), UL (USA) and cUL (Canada), KC (Korea)

#### **Electric Safety**

- On/Off interlock switch is waterproof
- All mechanical parts are ground (earth) connected
- All equipment is 100% tested at the end of assembly (special electrical testing bay)

#### Thermal Safety

Motor protected by internal thermal detector.

#### **Acoustic Safety**

The asynchronous motor with direct driving is particularly silent.

#### Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

#### OMCAN INC.

Telephone: 1-800-465-0234
Fax: (905) 607-0234
E-mail: sales@omcan.com
Website: www.omcan.com





Follow us to keep up to date with the latest news and offers







