

Project Name:	
Location:	
Item #:	
Otv:	

VALYR 24" Heavy Duty Gas Countertop Charbroiler

VALCTC-24



A great choice for demanding commercial kitchens with limited space, the 24-Inch, Valyr's Heavy Duty Gas Charbroiler is ideal for grilling burgers, hot dogs, sausages, and more. Space efficient and designed for heavy-duty operation, the Stainless Steel frame is able to withstand the toughest kitchen settings. Each cast-iron burner produces 20,000 BTU/hour, with one cast-iron burner for every 6 inches of grate width. The unit comes standard with four (4) 5-inch adjustable legs, separate gas valves for each burner with standing pilot lights, and a 3/4-inch rear NPT gas inlet.

FEATURES AND CONSTRUCTION -

- The perfect choice for grilling burgers, hot dogs, chicken, vegetables, sandwiches and more
- Compact 24" countertop design is space efficient
- Rugged stainless steel frame withstands heavy, long-term use in tough kitchen environments
- Features 4 cast-iron burner controls
- Each stainless steel burner produces 20,000 BTU/hour, with one cast iron burner every 6" grate width
- Includes a removable steel drip tray for easy cleaning
- Comes standard with four (4) 5-inch adjustable legs
- Separate gas valves for each burner with standing pilot lights
- 3/4-inch rear NPT gas inlet
- Set up for use with Natural Gas (NG) and is field convertible to Liquid Propane (LPG)

WARRANTY (USA / CANADA)

Intertek

3RD PARTY APPROVALS

1 Year Limited Warranty

Intertek




INCLUDED COMPONENTS -


• Charbroiler, Regulator, Instruction Manual, Conversion Kit, Drip Tray


VALYR 24" Heavy Duty Gas Countertop Charbroiler


VALCTC-24

FRONT SIDE









TOP Gas

Ignition Type	Total BTU/hr	Total Number of Burners	Cooking Surface	Number of Drip Trays	Assembled Dimensions	ltem Weight lbs	Shipping Weight lbs
Manual	80000	4	Cast Iron	1	29.06" x 24.00" x 13.17"	197.3	232.59

ADDITIONAL INFORMATION -

- Liquid Propane (LP) or Natural Gas (NG) units available. Field convertible from LP to NG and vice versa. Electricity not needed.
- Minimum supply pressure is 4" W.C. for natural gas and 10" W.C. for propane.
- Gas powered appliances must always be indoors, under an approved exhaust system with grease removal filters and a fire protection system.